

INDEX MAPS.

T. 3 N. R. 8 E. 2nd Mer.

| 368 | 368 | 368 | 369 | 369 | 369 |
|--------|--------|--------|--------|--------|--------|
| 6 392 | 5 387 | 4 383 | 3 379 | 2 375 | 1 365 |
| 392 | 391 | 386 | 382 | 379 | 375 |
| 7 391 | 8 386 | 9 382 | 10 378 | 11 375 | 12 366 |
| 391 | 390 | 386 | 382 | 378 | 374 |
| 18 390 | 17 385 | 16 381 | 15 378 | 14 374 | 13 366 |
| 390 | 389 | 385 | 381 | 377 | 374 |
| 19 389 | 20 384 | 21 381 | 22 377 | 23 373 | 24 366 |
| 389 | 388 | 384 | 380 | 377 | 373 |
| 30 388 | 29 384 | 28 380 | 27 376 | 26 373 | 25 369 |
| 388 | 387 | 383 | 380 | 376 | 372 |
| 31 387 | 32 383 | 33 379 | 34 376 | 35 372 | 36 369 |
| 387 | 383 | 363 | 363 | 363 | 363 |

T. 4 N. R. 8 E. 2nd Mer.

| 400 | 400 | 400 | 400 | 399 | 399 |
|--------|--------|--------|--------|--------|--------|
| 6 424 | 5 418 | 4 417 | 3 411 | 2 409 | 1 399 |
| 423 | 423 | 418 | 416 | 411 | 409 |
| 7 423 | 8 418 | 9 416 | 10 410 | 11 409 | 12 398 |
| 422 | 422 | 417 | 416 | 410 | 408 |
| 18 422 | 17 417 | 16 415 | 15 410 | 14 408 | 13 398 |
| 421 | 421 | 415 | 413 | 408 | 406 |
| 19 421 | 20 415 | 21 413 | 22 407 | 23 405 | 24 398 |
| 420 | 420 | 414 | 412 | 407 | 405 |
| 30 420 | 29 414 | 28 412 | 27 407 | 26 405 | 25 397 |
| 419 | 419 | 414 | 412 | 407 | 405 |
| 31 419 | 32 415 | 33 411 | 34 406 | 35 404 | 36 397 |
| 395 | 395 | 395 | 396 | 396 | 396 |

(F) The figures on the lines refer to the page.

395

Township N. 45 N. Range N. 8 E. 2nd Mer. Indiana

ch. lth.

South Boundary.

August 25th 1876. variation 5.50° E

East On S. boundary of Sec. 31

33.00 a W. Oak 30 in. dia.

36.00 a Brook 3 fm. wide Combe N.E.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bray 183819 fm. dist. of

a Do. 16 " " N79W41 " "

66.50 a Brook 3 fm. wide Combe N.

80.00 Set post cor. to Sec. 31 & 32, from which

a Beech 18 in. dia. bray 139W16 fm. dist. of

a Poplar 6 " " N65E28 " "

Good level land, timber Oak, Beech & Poplar

East On S. boundary of Sec. 32,

11.50 a Brook 3 fm. wide Combe N.

20.70 a Beech 12 in. dia.

36.00 a Poplar 60 "

40.00 Set of Sec. post, from which

a P. Oak 24 in. dia. bray N54E70 fm. dist. of

a Do. 12 " " N82W43 " "

76.50 an Indian path appears to cross at right angle,
fallow timber thickets

80.00 Set post cor. to Sec. 32 & 33, from which

a Hickory 18 in. dia. bray N49W9 fm. dist. of

a P. Oak 30 " " N56E62 " "

Pretty good Oak land

East On S. boundary of Sec. 33

14.60 a Hickory 36 in. dia.

40.00 Set of Sec. post, from which

a Gum 18 in. dia. bray N80W15 fm. dist. of

a Do. 16 " " N78E24 " "

59.30 a Poplar 36 "

72.30 a Do. 30 "

80.00 Set post cor. to Sec. 33 & 34, from which

396

Lat N 28° E. T.^o Mer. Indiana

ch. 111

a Poplar 30 in. diam. bran 151 W 11 ch. dist. of
a Sun 18 " " N 62 E 44 "
Level rich land, timber Oak, Poplar &c

East On S. boundary of Sec. 34

26.30 a Poplar 36 in. diam.

40.00 set. of. Sec. post, from which

a W. Oak 34 in. diam. bran N 84 W 24 ch. dist. of
a Poplar 18 " " S 82 E 31 "

80.00 set post Cor. to Sect. 34 & 35, from which

a Beech 10 in. diam. bran N 85 W 7 ch. dist. of
a Do. 16 " " N 85 E 50 "

Fist 1/2 mile good live land - last 1/2 mile thin
Oak land

August 26th 1806

East On S. boundary of Sec. 35

00.10 a Brook 10 ch. wide course N.

5.00 a - Do. 10 " " " N.

8.70 a Poplar 36 in. diam.

35.00 a Brook 3 ch. wide course N.

40.00 set of. Sec. post, from which

a W. Oak 30 in. diam. bran N 63 W 17 ch. dist. of
a Beech 12 " " S 55 E 34 "

56.00 a Brook 3 ch. wide course N.

56.95 a Beech 10 in. diam.

65.00 a Brook 5 ch. wide course N.W.

80.00 set post Cor. to Sect. 35 & 36, from which

a Poplar 36 in. diam. bran N 15 E 23 ch. dist. of

a Beech 16 " " S 37 E 36 "

Generally good Oak land

East On S. boundary of Sec. 36

22.00 a Brook 3 ch. wide course N.

22.77 a Poplar 16 in. diam.

40.00 set of. Sec. post, from which

a Beech 14 in. diam. bran N 63 E 16 ch. dist. of

397

LIN R 8 E. 2^d Mer. Indiana

- ch. th. at Beech 14 m. dist. bran 153 ft 24 lb. dist.
 43.00 a Brook 10 th. wide course N.W.
 55.30 a Beech 15 m. dist.
 80.00 At post Cor. to Township 3rd 4 N. Range
 8th East, from which
 a Beech 12 m. dist. bran 133 ft 21 lb. dist. of
 a Poplar 24 " " 117 ft 44 "
 First 1/2 mile riverland, timber Oak, Beech
 & Poplar, - last 1/2 level & good soil, timber same
-

East Boundary var. 5.50' E.

- North On E. boundary of Sec. 36
 16.50 a Poplar 12 m. dist.
 40.00 At q. Sec. post, from which
 a P. Oak 24 m. dist. bran 120 ft 22 lb. dist. of
 a do. 14 " " 118 ft 24 " "
 54.50 a W. Oak 36 " "
 77.00 a Brook 4 th. wide course N.E.
 80.00 At post Cor. to Sec. 25 & 36, from which
 a Beech 12 m. dist. bran 163 ft 16 lb. dist. of
 a do. 12 " " 117 ft 19 "
 First 1/2 pretty good, last 1/2 poor brushy land
 timber Oak, Beech &c.
-

North On E. boundary of Sec. 25

- 12.00 a Brook 3 th. wide course E.
 18.00 a Gum 14 m. dist.
 32.00 a Beech " "
 40.00 At q. Sec. post, from which
 a Poplar 12 m. dist. bran 133 ft 17 lb. dist. of
 a W. Oak 15 " " 118 ft 23 " "
 47.00 a Brook 13 lb. wide course E.
 80.00 At post Cor. to Sec. 24 & 25, from which
 a W. Oak 17 m. dist. bran 113 ft 25 lb. dist. of
 an Ash 6 " " 112 ft 10 "
 First 1/2 mile poor riverland, timber Oak,

398

West R8E. 2^d Mer. Indiana

ch. 111,

Beech &c. - last $\frac{1}{2}$ mile rich level land
timber Oak, Elm, Ash &c

North On E. boundary of Sec. 24

10.00 a Creek 75 ft. wide Comse W. Rapid

30.00 a do. 75 " " E. "

40.00 1st qf. Sec. post, from which
a Beech 18 in. dia. bran 158 ft 13 in. dist. of
a Sugar 6 " " N48E18 "

48.00 a Creek 75 ft. wide Comse W. Rapid

60.00 a do. 75 " " E. "

71.00 Same 75 " " off "

81.00 1st post cor. to Sec 13 of 24, from which
a Beech 18 in. dia. bran 121 ft 0 in. dist. of
a Do. 13 " " N51E19 "First $\frac{1}{2}$ mile rich land, Sugar, Beech, Elm
last $\frac{1}{2}$ mile steep rocky hill, Beech, Sugar &c.

North On E. boundary of Sec. 13

8.00 a Creek 200 ft. wide Comse W.

22.20 a Lymn 15 in. dia.

40.00 1st qf. Sec. post, from which
a Beech 12 in. dia. bran 122 ft 13 in. dist. of
a Do. 9 " " N16E30 "

48.00 a Brook 3 ft. wide Comse S.

53.80 a Beech 30 in. dia.

80.00 1st post cor. to Sec. 12 of 13, from which
A. Beech 9 in. dia. bran 16 ft 9 in. dia. dist. of
A. Do. " " N6E43 "

Hilly rich land, timber Sugar, Beech &c

North On E. boundary of Sec. 12

16.70 a Beech 18 in. dia.

23.00 a Brook 3 ft. wide Comse W.

40.00 1st qf. Sec. post from which
a Beech 12 in. dia. bran 18 ft 13 in. dist. of

399

West R8E. T. Mer. Indiana

ch. 111
 a Beech 8 mi. dia. bran N8W22 th. dist. of
 51.50 a Brook 3 lns. wide Course N.
 75.50 a do. 15 " " kept up it.
 80.00 left post Cor. to Sec. 1 of 12, from which
 a Beech 8 mi. dia. bran N82W39 th. dist. of
 a sycamore 40 " " N89E48
 First 1/2 mile flat & wet - last hilly & poor, timber
 Beech & Dogwood

North On E. boundary of Sec. 1

0.50 left th. to the East
 30.00 an Ash 16 mi. dia.
 40.00 left q. Sec. post, from which
 a Beech 10 mi. dia. bran N49W15 th. dist. of
 a do. 18 " " N44E25 "
 45.50 a Brook 4 lns. wide Course S.
 50.00 a Beech 24 mi. dia.
 70.00 a W. Oak 30 "
 80.00 left post Cor. to Township 4, 5 North, Range
 8 of 9 East, from which
 a Beech 12 mi. dia. bran N37W7 th. dist. of
 a do. 6 " " J49E10 "
 Level land timber Beech Oak &c.

North Boundary. Aug. 27th 1876

West On Rand. S. boundary of Sec. 36, T5 N, R8 E.
 15.00 a Brook 5 lns. wide Course S.E. kept down it
 27.00 leave the Brook running N.N.E.
 40.00 left temply. q. Sec. post
 50.00 a Brook 5 lns. wide Course S.
 80.00 left temply. Cor. to Sec. 35 & 36
 Generally broken land, timber Beech, Oak &c.

West On Rand. S. boundary of Sec. 35, T5 N, R8 E
 40.00 left temply. q. Sec. post
 58.50 a Brook 20 lns. wide Course S.W.

400

West 1st R. 8 E. 2^d Mer. Indiana

ch. h.

65.00 loopt brook

80.00 left temp. Cor. to Sec. 34 & 35

Rich land, timber Beech, sugar &c.

West On Land S. boundary of Sec. 34, 35 N. R. 8 E.

29.00 a Brook 3 hrs. wide Course S.

40.00 left temp. of Sec. frost

77.00 a Brook 20 hrs. wide Course S. W.

80.00 left temp. Cor. to Sec. 33 & 34

Rich hilly land, timber Beech, sugar &c.

West On Land S. boundary of Sec. 33, 35 N. R. 8 E.

40.00 left temp. of Sec. frost

57.00 a Creek 10 hrs. wide C. S.

80.00 left temp. Cor. to Sec. 32 & 33

Rich land, timber, sugar, Beech, Walnut, &c.

West On Land S. boundary of Sec. 32, 35 N. R. 8 E.

15.00 a Brook 5 hrs. wide Course S.

40.00 left temp. of Sec. frost

43.00 a Brook 3 hrs. wide Course S.

53.00 a Do. 3 " " S.

80.00 left temp. Cor. to Sec. 31 & 32

Rich level land, timber sugar, Beech, Ash &c.

West On Land S. boundary of Sec. 31, 35 N. R. 8 E.

5.00 a Brook 2 hrs. wide C. S. W.

22.00 a Do. 3 " " N. W.

39.00 a Creek 75 hrs. " " S. W.

40.00 left temp. of Sec. frost

79.00 Full Holes S. of the Cor. of about 495 N

Ranges 7 & 8 East - Rich bottom land
timber sugar, Beech &c.

True Line. var. 550' E.

East On S. boundary of Sec. 31, 35 N. R. 8 E.

401

40 N R 8 E. I. Mer. Indiana

ch. lly

- 39.00 Set of Sec. post, from which
 a Sycamore 36 in. dia. bran 1150 ft. 640 lbs. dist. of
 a Box Elder 10 " " " 1150 ft 4 "
- 79.00 Set post Cor. to Sec. 31, 32, 35 N. R 8 E, from which
 a Beech 18 in. dia. bran 1159 ft 16 lbs. dist. of
 a Do. 16 " " " 143 ft 60 "
-

East On S. boundary of Sec. 33, 34, 35 N. R 8 E.

- 40.00 Set of Sec. post, from which
 a Beech 15 in. dia. bran 1152 ft 16 lbs. dist. of
 a Do. 18 " " " 1142 ft 24 "
- 80.00 Set post Cor. to Sec. 32, 33, 35 N. R 8 E, from which
 a Sugar 12 in. dia. bran 1132 ft 24 lbs. dist. of
 an Ash 30 " " " 166 ft 34 "
-

East On S. boundary of Sec. 33, 34, 35 N. R 8 E.

- 40.00 Set of Sec. post, from which
 a Sugar 18 in. dia. bran 1160 ft 16 lbs. dist. of
 a Do. 36 " " " 136 ft 32 "
- 80.00 Set post Cor. to Sec. 33, 34, 35 N. R 8 E, from which
 a Beech 12 in. dia. bran 1182 ft 4 lbs. dist. of
 a Sugar 18 " " " 163 ft 37 "
-

East On S. boundary of Sec. 34, 35 N. R 8 E

- 40.00 Set of Sec. post, from which
 a Beech 6 in. dia. bran 1137 ft 8 lbs. dist. of
 a Cherry 30 " " " 130 ft 30 "
- 80.00 Set post Cor. to Sec. 34, 35, 35 N. R 8 E, from which
 a Beech 14 in. dia. bran 1173 ft 6 lbs. dist. of
 a Do. 15 " " " 136 ft 33 "
-

East On S. boundary of Sec. 35, 35 N. R 8 E.

- 40.00 Set of Sec. post, from which
 a Sugar 14 in. dia. bran 1188 ft 7 lbs. dist. of
 a Beech 16 " " " 1150 ft 49 "
- 80.00 Set post Cor. to Sec. 35, 36, 35 N. R 8 E, from which

407

Start RC 8 E. 2nd Mer. Indiana
at Beech 16 in. dia. bears S 10° 41' W. dist. of
a Do. 12 " " N 36° 8' 33 " "

East On S. boundary of Sec. 36, T 5 N. R 8 E.
40.00 set q. See. post, from which
a Beech 12 in. dia. bears N 66° 44' W. dist. of
a Poplar 12 " " N 62° 8' 25 " .
80.00 to the Township Corner

West Boundary var. 5.50'E.
North On E. boundary of Sec. 36, T 4 N. R 7 E.
20.78 a Beech 14 in. dia.
25.00 a Brook 3 lhr. wide Course S. W.
40.00 set q. See. post, from which
a Beech 12 in. dia. bears N 33° 8' 39" W. dist. of
a Gum 14 " " S 11° 8' 39 " "
51.60 a Beech 15 " "
53.00 a Brook 10 lhr. wide Course N. W.
73.70 a Hickory 20 in. dia.
80.00 set post Cor. to Sec. 25 & 36, T 4 N. R 7 E. from which
an Ash 12 in. dia. bears S 46° 9' W. 11 lhr. dist. of
an Elm 18 " " N 46° 8' 13 " "
Level rich land, timber Oak, Beech, Ash &c.

North On E. boundary of Sec. 35, T 4 N. R 7 E.
10.00 a brook 3 lhr. wide Course N. W.
23.00 a Do. 20 " " N. W.
40.00 set q. See. post, from which
a Beech 30 in. dia. bears S 55° 8' 4 lhr. dist. &
a Do. 15 " " N 55° 7' 49 " ,
44.50 a Brook 3 lhr. wide Course S. W.
55.38 a Beech 24 in. dia.
80.00 Set post Cor. to Sec. 24 & 25, T 4 N. R 7 E. from which
a Poplar 36 in. dia. bears S 19° 8' 17 lhr. dist. &
a Sugar 10 " " N 34° 8' 42 " "
Generally good rich Oak land &c.

403

HIST R8 E. T. Mer. Indiana

- ch. th.
- North On E. boundary of Sec. 14. S4 N. R. 7E.
- 25.70 Creek 18 in. dia!
- 30.00 brook 20 lbs. wide course W.
- 40.00 Set of Sec. post, from which
a Beech 8 in. dia! bears S 70 E 12 lbs. dist. &
a No. 30 " " S 86 W 20 "
- 44.00 brook 3 lbs. wide course W.
- 67.00 a Do. 15 " " W.
- 80.00 Set post cor. to Sec. 13 & 24. S4 N. R. 7E. from which
a Beech 20 in. dia! bears S 88 W 17 lbs. dist. &
a No. 18 " " N 40 E 26 "
first half mile uneven last half rugged rich land
timber Oak Sugar Poplar Beech etc!
-

- North On E. boundary of Sec. 13. S4 N. R. 7E.
- 7.89 a Sugar 18 in. dia!
- 12.00 a Brook 15 lbs. wide course W
- 33.00 a Beech 15 in. dia!
- 40.00 Set of Sec. post, from which
a Beech 3 in. dia! bears S 11 E 20 lbs. dist. &
an Elm 18 " " N 11 W 31 "
- 56.70 a W. Oak 24 "
- 80.00 Set post cor to Sec. 12 & 13. S4 N. R. 7E. from which
a Beech 24 in. dia! bears N 6 W 57 lbs. dist. &
a No. 18 " " S 66 W 40 "
- Generally good land timber Oak Sugar Beech etc.
-

- North On E. boundary of Sec. 12. S4 N. R. 7E.
- 4.17 a Brook 12 lbs. wide course N. W.
- 40.00 Set of Sec. post, from which
a Beech 16 in. dia! bears S 91 E 27 lbs. dist. &
a No. 12 " " N 11 W 37 "
- 52.00 a Brook 3 lbs. wide course W.
- 58.80 a Beech 14 in. dia!
- 73.00 a Brook 4 lbs. wide course W.
- 80.00 Set post cor. to Sec. 1 & 13. S4 N. R. 7E. from which

404

Sec. R8 E. 2^d Mer. Indiana

ch. lks.

a Beech 20 in. dia! bears N 63° E 6 lht. dist. &
an Elm 12 " " N 39° W 36..

first 1/2 mile rich land timber Oak Beech Sugar last
half mile wet low land timber Beech Elm &c.

North On E. boundary of Sec. 1. S 4 N. R 7 E.

30. 00 an Ash 24 in. dia!

32. 50 a River 2.20 lht. wide course W.

40. 00 Set of. Sec. post, from which

an Elm 16 in. dia! bears S 54° E 29 lht. dist. &
a Sugar 12 " " N 27° W 27 ..

63. 50 a Brook 1.00 lht. wide course W.

80. 00 Set a post for the cor. of townships 4 & 5 North, of
Range 7 & 8 E, from which

a Beech 14 in. dia! bears S 54° W 14 lht. dist. &
a No. 14 " " N 24° E 28 ..

Pretty good Beech land. Between the Brook first rate
land N. of the last brook the bottom overflow timber
Beech Sugar Ash &c. Aug. 24th 1806

Surveyed By

Alexander Holmes,

Deputy Surveyor

Subdivision.

North Between Sec. 35 & 36

20. 20 a Poplar 24 in. dia!

23. 53 a stream 20 lht. wide course N. W.

40. 00 Set of. Sec. post, from which

a Beech 18 in. dia! bears N 42° E 34 lht. dist. &
a B. Oak 24 " " S 63° W 20 ..

60. 50 a Beech 6 "

62. 00 a stream 20 lht. wide course W.

80. 00 Set post cor. to Sec. 125, 26, 35 & 36, from which
a Beech 20 in. dia! bears S 32° W 30 lht. dist. &

a Dr. 10 " " N 43° E 25 ..

this line through rolling land timber Oak & Beech.

405

4 N - R 8 E. 2^d Mer. Indiana

ch. th.

East On Random between Sect. 25 & 36

40. 00 Set tempy. of. Sec. post

79. 50 Intercepted the E. boundary 150 lft. S. of post
Land level timber Beech & Oak

West Corrected between Sect.

39. 75 Set q. Sec. post at average dist. from which
a Beech 9 in. dia. bears S 14° W 20 lft. dist. &
a Do. 15 " " N 25° E 49 "

79. 50 to Section Corner

North Between Sect. 25 & 26.

25. 00 a W. Oak 15 in. dia.

40. 00 a W. Oak 8 " " from which

a Beech 8 " " bears S 25° W 8 lft. dist. &
a Hickory 30 " " N 45° E 20 "

60. 00 a B. Oak 20 "

72. 00 a stream 15 lft. wide course W.

80. 00 Set post cor. to Sect. 23, 24, 25 & 26, from which

a B. Oak 24 in. dia. bears N 81° W 60 lft. dist. &
a Do. 20 " " S 47° E 20 "

Land level timber Oak Beech & Hickory undergrowth
Dogwood Spice &c.

East On Random Between Sect. 24 & 25

40. 00 Set tempy. of. Sec. post.

78. 50 Intercepted the E. boundary 50 lft. S. of post
Land level timber Oak Beech & Maple-

West Corrected between Sect. 24 & 25

39. 25 Set q. Sec. post at average dist. from which
a Maple 13 in. dia. bears N 70° E 23 lft. dist. &
a Beech 10 " " S 70° W 24 "

78. 50 to Section Corner

North Between Sect. 23 & 24

406

West R8E. D^o. Mer. Indiana

ch. l. by

- 20.00 a Beech 8 in. dia.
 40.00 Set of. Sec. post, from which
 a Poplar 15 in. dia. bears S 41° E 30 lbs. dist. &
 a Beech 18 " " " N 41 W. 12 " "
 62.00 a Do. 5 "
 80.00 Set post cor. to Sect. 13, 14, 23 & 24, from which
 a Beech 6 in. dia. bears N 37° E 10 lbs. dist. &
 a Maple 10 " " " South 15 " "
 Land level timber Beech Oak & Poplar
-

East On Random between Sect. 13 & 24.

- 40.00 Set temp. of. Sec. post, cross a branch of R. river
 200 ft. wide running N.W.
 56.00 Cross the same River 100 ft. wide going S
 71.50 a stream 70 lbs. wide course N. W.
 79.12 Intercepted the E. boundary at the post
 Land Hilly Soil fertile timber Beech Sugar Walnut &c.
-

West Corrected between Sect. 13 & 24

- 39.56 Set of. Sec. post at average dist. from which
 an Elm 34 in. dia. bears S 40° E 26 lbs. dist. &
 a sugar 12 " " " N 35 W 25 " "
 79.12 to Section Corner
-

December 4th 1806.

North Between Sect. 34 & 35

- 19.50 a N. Oak 24 in. dia.
 40.00 Set of. Sec. post, from which
 a N. Oak 12 in. dia. bears S 59° E 4 lbs. dist. &
 a Do. 20 " " " S 35 W 30 " "
 65.00 a stream 50 lbs. wide course N. W.
 80.00 Set post cor. to Sect. 26, 27, 34 & 35, from which
 a Beech 30 in. dia. bears S 86° E 30 lbs. dist. &
 a Do. 8 " " " S 79 W 6 " "
 Land lies rolling & good for farming timber Beech
 Oak & Sugar.
-

407
West R.R. & E. I. Mer. Indiana

Ch. lth.

East

On Random between Sect. 26 & 35.

40. 00 Set temp^g. of See. post.

80. 00 Intersected the N. & S. line at the post
Land rolling timber Beech & Oak

West Corrected between Sect. 26 & 35.

40. 00 Set of. See. post, at average dist. from which
a Sugar 12 in. dia. bears S 52° E 42 lbs. dist. &
a Beech 15 " " " 83 W 18 "

80. 00 to Section Corner

North Between Sect. 26 & 27.

20. 40 a Beech 20 in. dia.

40. 00 Set of. See. post, from which
a Beech 18 in. dia. bears S 30° W 25 lbs. dist. &
a No. 15 " " " N 5° E 11 "

60. 20 a Gum 18 "

80. 00 Set post cor. to Sect. 22, 23, 26 & 27, from which
a Sugar 10 in. dia. bears S 60° W 26 lbs. dist. &
a No. 18 " " " N 40° E 50 "

this cor. is on a stream 12 lbs. wide course N.

Land broken soil fertile timber Beech Oak

Walnut Sugartree &c.

East On Random between Sect. 23 & 26

40. 00 Set temp^g. of See. post.

79. 75 Intersected the N. & S. line 50 lbs. N. of post
Land broken timber Beech, Oak &c.

West Corrected between Sect. 23 & 26

39. 87 Set of. See. post, at average dist. from which
a Beech 18 in. dia. bears S 44° W 10 lbs. dist. &
a Sugar 12 " " " N 44° E 22 "

79. 75 to Section Corner

North Between Sect. 22 & 23

408

Sect R 8 E. 2^d Mer. Indiana
Ch. P. H.

20. 05 a Beech 6 in. dia.
40. 00 Set of. Sec. post, from which
a Beech 20 in. dia. bears N 22° E 9 l.h.s. dist. &
a No. 9 " " " S 54° W 18 " "
61. 00 a Gum 18 " "
80. 00 Set post cor. to Sect. 14, 15, 22, & 23, from which
a Beech 15 in. dia. bears N 49° E 42 l.h.s. dist. &
a No. 16 " " " S 17° W 19 " "
Land level timber Beech Maple & Oak.
-

East On Random between Sect. 14 & 23

40. 00 Set temp. of. Sec. post
79. 50 Intersected the N. & S. line 40 l.h.s. N. of post
Land timber &c. Same as last. Mile
-

West Corrected between Sect. 14 & 23

39. 75 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 86° E 30 l.h.s. dist. &
a No. 9 " " " N 62° W 11 " "
79. 50 to Section Corner
-

North Between Sect. 13 & 14

23. 50 an Ash 18 in. dia.
40. 00 Set of. Sec. post, from which
a Beech 26 in. dia. bears North 30 l.h.s. dist. &
a No. 12 " " " S 31° W 6 " "
60. 50 N. river 50 l.h.s. wide course W. & tolerably rapid
80. 00 Set post cor. to Sect. 11, 12, 13 & 14 from which
a Beech 8 in. dia. bears S 66° W 25 l.h.s. dist. &
a No. 30 " " " N 54° E 20 "
Land broken & fertile timber Beech, Sugar, & Ash.
-

East On Random between Sect. 12 & 13

40. 00 Set temp. of. Sec. post
79. 00 Intersected the E. boundary 50 l.h.s. N. of post
Land broken timber Beech Sugar & Ash

409

1/4 N - 1/8 E. 2nd Mer. Indiana

On the

West Corrected between Sect. 12 & 13.

39. 50 Set of. Sec. post, at average dist. from which
a Beech 21 in. dia. bears S 44° E 43' lkh. dist. &
a Do. 26 " " N 41 W 32 " "

79. 00 to Section Corner

North Between Sect. 11 & 12

6. 50 a Stream 22 lkh. wide Course W.

21. 12 a Sugar 12 in. dia.

40. 00 Set of. Sec. post, from which
a Beech 18 in. dia. bears N 74° E 28 lkh. dist. &
a Do. 36 " " S 66 W 16 " "

45. 50 a Stream 50 lkh. wide Course W.

59. 75 a Sugar 15 in. dia.

80. 00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
a Beech 8 in. dia. bears S 36 W 12 lkh. dist. &
a Do. 12 " " N 34 E 32 " "
Land broken timber sugar Ash & Beech -

East On Random between Sect. 1 & 12

40. 00 Set temp. of. Sec. post

79. 54 Intersected the E. boundary 45 lkh. e. of post
Land timber &c. same as on the last mile

West Corrected between Sect. 1 & 12.

39. 77 Set of. Sec. post, at average dist. from which
a Beech 8 in. dia. bears S 12 W 20 lkh. dist. &
a Do. 11 " " N 8 W 10 " "

79. 54 to Section Corner

North Between Sect. 1 & 2.

20. 50 a Dogwood 4 in. dia.

40. 00 Set of. Sec. post, from which
a Beech 12 in. dia. bears N 7 W 22 lkh. dist. &
a Do. 20 " " S 4 W 55 " "

61. 04 an Ash 20 " "

410

Plot 128 E. D^o. Mer. Indiana

ch. by

- 79.50 Intersected the N. boundary 70 lks. W. of post
Set post cor. to Sec. 14 & 2, from which
a Dogwood 7 in. dia. bears N 71° W 26 lk. dist. &
a Beech 12 " " S 42° E 28 " "
(Description of land sc. omitted)

Dec. 6th 1806

North Between Sec. 14 & 15

19.50 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 76° E 12 lk. dist. &
a Maple 14 " " N 75° W 10 "

59.00 a Beech 8 "

80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 5 in. dia. bears N 79° E 28 lk. dist. &
a Do. 15 " " S 89° E 4 "

Land mostly level timber Beech Maple & Oak.

East On Random between Sec. 11 & 14

40.00 Set temp. q. Sec. post

46.75 to W. river 100 lk. wide course N. W.

78.50 Intersected the N. & S. line 70 lk. N. of post
Land broken & fertile timber Sugar Ash, & Beech

West Corrected between Sec. 11 & 14

39.25 Set q. Sec. post at average dist. from which
a Hackberry 30 in. dia. bears N 34° E 38 lk. dist. &
a Sugar 9 " " S 29° E 38 "

78.50 to Section Corner

North Between Sec. 10 & 11

9.00 to W. river 150 lk. wide course W.

25.00 an Ash 18 in. dia.

40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears S 4° E 25 lk. dist. &
a Do. 26 " " N 12° W 8 "

411

Lot No. R8 E. 2nd Mer. Ind.

ch. 1.00

43.00 a Stream 20 lks. wide course S. W.

59.90 a Beech 7 in. dia!

80.00 Set post Cor. to Sect. 2, 3, 10. & 11, from which
a Beech 30 in. dia! bears N 30 W 25 lks. dist. &
a Do. 12 " " S 78 E 35 "

Land broken timber Ash Sugar and Beech

East On Random between Sect. 2 & 11.

32.50 a Stream 12 lks. wide Course S. W.

40.00 Set temp. of. See. post

78.40 Intersected the N. & S. line 100 lks. N. of post
Land broken & fertile timber Beech, Sugar,
Ash, Walnut &c.

West Corrected between Sect. 2 & 11

39.20 Set of. See. post at average dist. from which
a Beech 18 in. dia! bears S 20 W 15 lks. dist. &
a Do. 12 " " N 26 E 14 "

78.40 to Section corner

North Between Sect. 2 & 3

19.90 a Beech 22 in. dia! be

40.00 Set of. See. post, from which
a Beech 30 in. dia! bears N 23 W 45 lks. dist. &
a Do. 32 " " S 10 W 15 "

61.00 a Poplar 22 "

73.50 a Stream 50 lks. wide course W

78.50 Intersected the N. boundary 144 lks. E. of post
Set post Cor. to Sect. 2 & 3, from which
a Beech 30 in. dia! bears N 40 E 31 lks. dist. &
a Do. 24 " " S 41 W 34 "

Land rolling timber Beech, Oak &c.

North Between Sect. 33 & 34

19.44 a Beech 8 in. dia!

40.00 Set of. See. post, from which

412 East R 8 E. 2nd Mer. Indiana

chth

- a Beech 12 in. dia! bears East 26 lht. dist. &
a No. 12 " " " S 55 W 30 " "
60.10 Hickory 6 " "
80.00 Set post Cor. to Sect. 27. 28, 33 & 34, from which
a Beech 18 in. dia! bears S 85 E 34 lht. dist. &
a Maple 15 " " " S 66 W 40 " "
Sand rolling timber Beech, & Oak -
-

East On Random between Sect. 27 & 34

- 40.00 Set temp. qf. Sec. post
80.12 Intersected the N. & S. line 30 lht. N. of post
this last half mile passes through a fertile
bottom timber Oak, Sugar, Beech, & Ash
-

West Corrected between Sect. 27 & 34

- 40.06 Set qf. Sec. post, at average dist. from which
a Gum 18 in. dia! bears N 33 E 14 lht. dist. &
an Oak 24 " " " S 16 W 30 " "
80.12 to Section Corner
-

North Between Sections 27 & 28.

- 20.02 an Oak 18 in dia!
40.00 Set qf. Sec. post, from which
an Elm 8 in. dia! bears N 46 W 9 lht. dist. &
a Beech 18 " " " S 75 E 26 " "
57.50 a Stream 50 lht. wide course N. W.
60.20 a Beech 20 in. dia!
80.00 Set post Cor. to Sect. 21. 22. 27 & 28, from which
an Ash 24 in. dia! bears N 38 W 8 lht. dist. &
a Hickory 22 " " " S 6 E 12 " "
Sand broken timber Oak, Beech &c.
-

East On Random between Sect. 22 & 27

- 40.00 Set temp. qf. Sec. post
80.15 Intersected the N. & S. line 112 lht. N. of post
Sand broken & fertile timber Beech, Sugar &c.

413

West R8 E. T. Mer. Indiana

ch. by

West Connected between Sect. 22 & 27.

40. 07 Set qf. See. post, at average dist. from which
a Beech 15 in. dia. bears N 6° W 20 lkh. dist. &
a No. 18 " " " S 3° E 18 " "

80. 15 to Section Corner

North Between Sect. 21 & 22.

26. 75 an Oak 36 in. dia.

40. 00 Set qf. See. post, from which
a Dogwood 5 in. dia. bears N 46° W lkh. dist. &
a Maple 10 " " " S 80° E 25 " "

63. 50 a Sugar 10 " "

80. 00 Set post Cor. to Sect. 15, 16, 21 & 22, from which
a Poplar 20 in. dia. bears S 78° W 12 lkh. dist. &
a No. 24 " " " N 31° E 31 " "

Land rolling timber Beech, Poplar &c.

East On Random between Sect. 15 & 22.

^{across stream 25 ft. wide course N.}
40. 00 Set tempy. qf. See. post

81. 50 Intersected the N. & S. line 40 lkh. N. of post.

Land timber &c. same as last mile

West Connected between Sect. 15 & 22

40. 75 Set qf. See. post, at average dist., from which
a Beech 15 in dia. bears N 68° E 25 lkh. dist. &
a No. 20 " " " S 61° W 24 " "

81. 50 to Section Corner. Dec. 9th 1806

North Between Sect. 32 & 33

29. 75 an Oak 34 in. dia.

40. 00 Set qf. See. post, from which
a Poplar 15 in. dia. bears N 46° E 40 lkh. dist. &
an Oak 36 " " " S 50° W 10 " "

61. 00 a Beech 10 " "

80. 00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
a Poplar 46 in. dia. bears S 66° E 15 lkh. dist. &

414

Plot R8E. T. Mer. Indiana
ch. 111

an Oak 36 in. dia. bears N 4 E 25 lbs. dist. &
Land rolling timber thickly Beech & Oak.

East On Random between Sect. 28 & 33

40. 00 Set tempy. qf. See. post

79. 90 Intersected the N. & S. line at the post.

Land rolling timber Oak undergrowth hickories

West Corrected between Sect. 28 & 33

39. 95 Set qf. See. post, at average dist. from which
a Beech 6 in. dia. bears S 81 E 12 lbs. dist. &
an Oak 24 " " " S 4 W 30 " "

79. 90 to Section Corner

North Between Sect. 28 & 29

20. 75 an Oak 24 in. dia.

40. 00 Set qf. See. post, from which
a Hickory 15 in. dia. bears S 60 W 36 lbs. dist. &
an Oak 36 " " " N 6 E 55 " "

63. 50 a Gum 18 " "

80. 00 Set post cor. to Sect. 20, 21, 28 & 29, from which
a Beech 20 in. dia. bears N 40 E 28 lbs. dist. &
a Hickory 12 " " " S 40 W 4 " "

Land rolling timber Beech & Oak.

East On Random between Sect. 21 & 28

26. 50 a stream 40 lbs. wide course N. W.

40. 00 Set tempy. qf. See. post.

80. 10 Intersected the N. & S. line 12 lbs. S. of post.

Land broken timber Beech & N. Oak.

West Corrected between Sect. 21 & 28

40. 05 Set qf. See. post, at average dist. from which
a Beech 20 in. dia. bears N 60 W 42 lbs. dist. &
a No. 12 " " " S 79 E 10 " "

80. 10 to Section Corner

415

Sect R8E. 2nd Mer. Indiana

ch. 11/1

North Between Sect. 20 & 21.

21. 50 an Oak 20 in. dia?

40. 00 Set g. Sec. post, from which

a Hickory 15 in. dia. bears N 81 E 6 lkh. dist. &
a Sugar 6 " " " 828 W 14 " "

59. 50 a Hickory 18 " "

80. 00 Set post cor. to Sect. 16, 17, 20 & 21, from which

a Sugar 12 in. dia. bears N 89 E 10 lkh. dist. &

Hickory 14 " " " N 77 W 12 " "

Land rolling timber Thimbley Beech Sugar
Ash, Oak, &c.

East On Random between Sect. 16 & 21.

27. 00 a Stream 50 lkh. wide Course N. W.

the land to this creek fine for farming

40. 00 Set tempy. g. Sec. post

80. 00 Intersected the N. & S. line 25 lkh. S. of post.

Land rolling timber Beech Ash Sugar Wal!

West Corrected between Sect. 16 & 21

40. 00 Set g. Sec. post. at average dist. from which
a Beech 8 in. dia. bears N 4 W 10 lkh. dist. &
a Thimbley 12 " " " 831 E 40 " "

80. 00 to Section Corner

Dec. 10th 1806

North Between Sect. 16 & 15

9. 50 a Stream 25 lkh. wide Course W.

25. 00 an Oak 20 in. dia?

40. 00 Set g. Sec. post, from which

a Beech 20 in. dia. bears N 81 E 25 lkh. dist. &

a Poplar 30 " " " 825 W 22 " "

62. 50 a Gum 18 " "

80. 00 Set post cor. to Sect. 9, 10, 15 & 16, from which
a Beech 15 in. dia. bears S 74 E 25 lkh. dist. &
a Sugar 16 " " " N 68 W 22 " "

416

Sect 128 E. 2nd Mer. Indiana
ch. lly
Land rolling timber Beech Sugar & Poplar

East On Random between Sect. 10 & 15

40.00 Set tempy. qf. See. post

81.50 Intersected the N. & S. line 100 lbs. N. of post
Land broken timber Beech Sugar & Ash

West Corrected between Sect. 10 & 15

46.75 Set qf. See. post, at average dist. from which
a Beech 12 in. dia? bears \$16 & 5 lbs. dist. &
a Gum 36 " " " \$81 77 25 " "

81.50 to Section Corner

North Between Sect. 9 & 10

28.05 a Beech 12 in. dia?

40.00 Set qf. See. post, from which
an Elm 12 in. dia? bears \$81 77 20 lbs. dist. &
a Beech 15 " " " \$73 & 20 " "

54.50 to W. river 75 lbs. wide course N.

60.00 a Sugar 12 in dia?

80.00 Set post Cor. to Sect. 3, 4, 9, & 10, from which
a Box Elder 12 in. dia? bears \$15 77 8 lbs. dist. &
a No. 15 " " " \$31 77 20 "
on the bank of W. river Land broken soil fertile
timber Beech Sugar &c.

East On Random between Sect. 3 & 10

11.50 to W. river 150 lbs. wide course S.

36.50 to " No. 150 " " " N.

40.00 Set tempy. qf. See. post

81.50 Intersected the N. & S. line 80 lbs. N. of post
Land hilly soil fertile timber Beech sugar
Ash Walnut &c.

West Corrected between Sect. 3 & 10

40.75 Set qf. See. post, at average dist. from which

417

44 N R 8 E. 2nd Mer. Indiana
ch. 111
a Beech 18 in. dia. bears East 20 lh. dist. &
a No. 20 " " West 30 " "
\\$1.50 to Section Corner

North Between Sect. 3 & 4

Crossed White river immediately 200 lh. wide
course N.E. on the S. side there is a very large
Spring which appears to be a part of the river
which runs underground

28.00 Crossed W. river 100 lh. wide course N.
40.00 Set q. Sec. post, from which
a sycamore 48 in. dia. bears N 81° E 12 lh. dist.
a Beech 20 " " S 21° W 6 " "
59.50 a No. 24 " "
78.50 Intersected the N. boundary 100 lh. W. of post.
Set post cor. to Sect. 3 & 4, from which
a Beech 12 in. dia. bears S 70° W 20 lh. dist. &
a No. 9 " " N 86° E 25 " "
Land hilly timber Beech Sugar & Poplar-

December 11th 1806

North Between Sect. 16 & 17

21.00 a Beech 8 in. dia.
40.00 Set q. Sec. post, from which
a Logwood 6 in. dia. bears N 39° E 8 lh. dist.
of a Poplar 15 " " S 39° W 10 " "
62.00 a Beech 20 " "
80.00 Set post cor. to Sect. 8, 9, 16 & 17, from which
an Elm 18 in. dia. bears East 12 lh. dist.
a No. 20 " " N 85° W 50 " "
Land level & fertile, timber Sugar, Ash & Beech

East On Road between Sect. 9 & 16

12.05 stream 40 lh. wide C.R. the same that crosses
the line between Sect. 16 & 21
40.00 Set temp. q. Sec. post

418

St. R. R. 8 E. I. Mer. Indiana

ch. S. M.

80.50 Intersected the N. & S. line 75 lbs. S. of post
Land broken, timber Beech & Sugar

West Corrected between Sect. 9 & 16

40.25 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 69 E 30 lbs. dist. &
a sassafras 16 " " N 70 W 20 " "

80.50 to Section Corner

North Between Sect. 8 & 9

25.90 a Sugar 10 in. dia.

40.00 Set q. Sec. post, from which

a Sugar 20 in. dia. bears N 24 W 30 lbs. dist. &
a Beech 15 " " S 73 E 22 " "

60.50 a Do. 20 "

80.00 Set post Cor. to Sect. 4, 5, 8 & 9, from which
a Beech 18 in. dia. bears S 25 E 32 lbs. dist. &
an Ash 18 " " N 10 E 25 "

Land Broken & fertile timber Beech Sugar & Ash

East On Random between Sect. 4 & 9

5.00 to W. River 130 lbs. wide course N. W.

21.00 to Do. 150 " " S. W.

40.00 Set temp. q. Sec. post

78.00 to W. River 200 lbs. wide course N. E.

80.00 Intersected the N. & S. line 150 lbs. S. of post
Land and timber same as last mile

West Corrected between Sect. 4 & 9

40.00 Set q. Sec. post, at average dist. from which
a Sugar 12 in. dia. bears S 34 E 30 lbs. dist. &
a Beech 9 " " N 36 E 25 " "

80.00 to Section Corner

North Between Sect. 4 & 5

7.50 to W. river 70 lbs. wide course N 70 W.

419

East RC 8 E. 2^d. Mer. Indiana

oh. lly

20. 00 a stream 60 lbs. wide course S. 20 W.
 22. 00 a Box cedar 12 in. dia.
 37. 50 the same stream 60 lbs. wide course S. 15 E.
 in this bend is a handsome bottom
 40. 00 Set of. See. post, from which
 a Beech 15 in. dia. bears S 24 E 35 lbs. dist. &
 a No. 28 " " N 28 W 34
 59. 50 an Ash 15
 65. 00 the same stream 100 lbs. wide course N. W.
 78. 80 Intersected N. boundary 200 lbs. W. of post
 Set post cor. to Sec. 4 & 5, from which
 a Beech 30 in. dia. bears S 73 W 25 lbs. dist. &
 a Sugar 15 " " N 80 E 38
 Land broken & fertile timber Beech, Ash & sugar.
-

December 12th 1806

North Between Sec. 31 & 32.

20. 50 a Gum 18 in. dia.
 40. 00 Set of. See. post, from which
 a Beech 12 in. dia. bears N 84 E 7 lbs. dist. &
 an Ash. 12 " " S 84 W 12
 60. 00 a Beech 10
 80. 00 Set post cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 15 in dia. bears S 25 E 40 lbs. dist. &
 a Maple 12 " " N 25 W 8
 Land level timber Beech & Oak
-

East On Random between Sec. 29 & 32

40. 00 Set tempy. q. See. post
 78. 60 Intersected the N. & S. line 75 lbs. S. of post
 Land level timber Beech & Gum
-

West Corrected between Sec. 29 & 32

39. 30 Set q. See. post. at average dist, from which
 an Oak 30 in. dia. bears S 80 E 35 lbs. dist. &
 a Beech 15 " " N 62 W 30

420

St. R 8 E. 2nd Mer. Indiana

Ch. P. May

78.60 to Section Corner

West Between Sec. 30 & 31

40.00 Set q. See. post. from which
a Hickory 18 in. dia. bears N 75° W 15 lhr. dist. &
a No. 20 " " S 55° E 10 "

80.05 Intersected the N. boundary at the post

~~Set post Cor.~~ to Sec. 30 & 31, from which
an Ash 12 in. dia. bears S 50° E 15 lhr. dist. &
a No. 15 " " N 75° E 15 "

Land rolling & very brushy timber Beech & Oak

North Between Sec. 29 & 30

20.04 a Beech 12 in. dia.

40.00 Set q. See. post, from which
a Gum 18 in. dia. bears S 86° W 46 lhr. dist. &
a Beech 10 " " N 69° E 4 "

47.50 a stream 12 lhr. wide course S. W.

60.52 an Ash 18 in. dia.

80.00 Set post cor. to Sec. 19, 20, 29 & 30, from which
a Hickory 13 in. dia. bears S 26° E 14 lhr. dist. &
an Ash 15 " " S 59° W 13 "

Land level timber Beech Oak & Gum

East On Random between Sec. 20 & 29

40.00 Set temp. q. See post

79.05 Intersected the N. & S. line 75 lhr. S. of post
Land & timber same as last mile

West Corrected between Sec. 20 & 29

39.52 Set q. See. post, at average dist. from which
a Beech 20 in. dia. bears S 88° E 30 lhr. dist. &
an Ash 15 " " S 77° W 34 "

79.05 to Section Corner

West Between Sec. 19 & 30.

421

Sec. 14 R 8 E. 2nd Mer. Indiana

ch. th.

- 40.00 Set qf. Sec. post, from which
 a Beech 18 in. dia. bears S 85° W 25 lhr. dist. &
 a Poplar 18 " " N 62° E 33 "
 79.12 Intersected the W. boundary 40 ch. N. of post
 Set post Cor. to Sect. 19 & 30, from which
 a Sugar 10 in. dia. bears S 62° E 15 lhr. dist. &
 a Beech 15 " " N 33° W 45 "
 Land broken timber Beech & Poplar
 December 13th 1886

North Between Sect. 19 & 20

- 12.50 a stream 10 lbs. wide course W.
 19.50 a Beech 30 in. dia.
 40.00 Set qf. Sec. post, from which
 a Beech 15 in. dia. bears S 49° E 15 lhr. dist. &
 a No — " " N 59° W 25 " "
 60.45 a Beech 24 " "
 80.00 Set post Cor. to Sect. 17, 18, 19, & 20, from which
 a Beech 18 in. dia. bears N 40° E 15 lhr. dist. &
 a sugar 20 " " S 65° W 4 " "
 Land level timber Beech & Poplar-

East On Brandon between Sect. 17 & 20

- 40.00 Set tempy. qf. Sec. post.
 78.12 Intersected the N. & S. line at the post
 Land level & wet timber Beech, Sweet Gum, Poplar-

West Connected between Sect. 17 & 20

- 39.06 Set qf. Sec. post, at average dist., from which
 a Gum 12 in. dia. bears N 37° W 18 lhr. dist. &
 a Beech 12 " " S 50° E 21 " "
 78.12 to Section corner

West Between Sect. 18 & 19

- 40.00 Set qf. Sec. post, from which
 a Beech 12 in. dia. bears N 82° E 13 lhr. dist. &

422

Lat R8 E. 2^d Mer. Indiana

ch. 113

- a Beech 6 in. dia. bears N 50 W 11 lht. dist. &
78.25 Intersected the W. boundary 75 lht. N. of post
a Beech 12 in. dia. bears North 29 lht. dist. &
ash 8 " " S 87 E 11 "
Land level timber Beech & Poplar
-

North Between Sec. 17 & 18

- 20.48 a Beech 10 in. dia.
37.50 a stream 4 lht. wide course W.
40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears N 78 W 11 lht. dist. &
a No. 12 " " N 12 E 13 "
60.50 a Beech 10 "
80.00 Set post cor. to Sec. 7, 8, 17 & 18, from which
a Beech 12 in. dia. bears N 36 E 4 lht. dist. &
a No. 7 " " S 12 W 16 "
Land level timber Beech & Poplar.
-

East On Random between Sec. 8 & 17

- 40.00 Set Temp. q. Sec. post
77.50 Intersected the N. & S. line 1.05 lht. N. of post
Land tolerably level & good for farming timber
Sugar, Ash, Walnut, & Beech -
-

West Corrected between Sec. 8 & 17

- 38.75 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 86 E 29 lht. dist. &
a sugar 8 " " N 55 W 40 "
77.50 to Section corner
-

December 15th 1806

West Between Sec. 7 & 18.

- 40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears N 58 W 32 lht. dist. &
a No. 10 " " S 74 E 46 "
77.75 Intersected the W. boundary 27¹/₄ lht. N. of post.

423

Sec N RC 8 E. 2ⁿ Mer. Indiana

ch. lth,

Set post Cor. to Sec. 7 & 8, from which
 a Beech 24 in. dia. bears North 26 lth. dist. &
 a No. 15 " " S 76° 50' " "
 Land broken timber Beech & Poplar

North Between Sec. 7 & 8.

17. 00 to W. river 100 lth. wide course W.

40. 00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears N 64° W 33 lth. dist. &
 a No. 12 " " N 27° E 13 " "

62. 45 a Beech 10 " "

80. 00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 18 in. dia. bears S 56° W 38 lth. dist. &
 a No. 28 " " N 55° E 12 " "

Land broken timber Beech Sugar & Ash -

East On Random between Sec. 5 & 8.

40. 00 Set temp. q. Sec. post, on the W. bank of White river
 which the line crosses immediately & is 112 lth. wide cor. S.

78. 25 Intersected the N. & S. line 295 lth. N. of post
 Land broken, last half mile fertile timber Beech Sug.

West Connected between Sec. 5 & 8

39. 12 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears S 65° W 14 lth. dist. &
 a No. 24 " " S 83° E 12 " "

98. 25 to Section Corner

West Between Sec. 6 & 7

40. 00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 65° W 35 lth. dist. &
 a No. 18 " " S 47° E 15 " "

45. 50 to W. river 150 lth. wide course N.

77. 50 Intersected the W. boundary 350 lth. N. of post
 Set post Cor. to Sec. 6 & 7, from which
 a Beech 12 in. dia. bears S 18° W 22 lth. dist.

424

Lat. R 8 E. I.rd Mer. Indiana

ch. th.

a Beech 5 in. dia. bears N 10° W 14 lbs. dist.

Land broken timber Beech Oak Sugar &c.

December 15th 1806

North Between Sect. 5 & 6

20.00 a Sugar 12 in. dia.

40.00 Set of Sect. post, from which

a Beech 15 in. dia. bears S 82° E 8 lbs. dist. &
an Elm 10 " " " N 67° W 12 " "

60.10 a Sugar 20 " "

76.50 Intersected the N. boundary 40 lbs. E. of post.

Set post Cor. to Sect. 5 & 6, from which

a Beech 24 in. dia. bears N 82° E 23 lbs. dist. &
a No. 18 " " " South 38 " "

Land hilly timber Beech &c.-

December 15th 1806

Ben. Taylor, D. Surveyor
Jesse Gray {
Willow Maddox } Chain Carrier
John Gray, Marker

Jesse Gray & Willow Maddox took each
the following Oath.

I do solemnly swear in the presence of
Almighty God, that in all admeasurement
of surveys in which I shall be employed as
a Chain Carrier that I will faithfully &
impartially execute the trust reposed in me,
so help God.

Sworn before me this 2^d. day of Dec^r 1806.

Ben. Taylor,

D. Deputy Surveyor

Compt.

425
H.A. R. & E. I. Mer. Indiana

I certify that the foregoing transcript of field notes
of Township N^o. 10 North, Range N^o. 8 East, 2^d Mer.
Indiana, has been Compr.^d with the original notes
in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 18. 1842.

William Johnston
Sur. Gen.